

- Adachi, K., H. Namba & Kuroda, 1987. Potential of host-mediated antitumor activity in mice by beta-glucan obtained from *Grifola frondosa* (Maitake). *Chem. Pharm. Bull.* 35:262.
- Adachi, K., H. Namba, M. Otsuka & H. Kuroda, 1998. Blood pressure-lowering activity in the fruit body of *Grifola frondosa* (Maitake). *Chem. Pharm. Bull.* 36(3):1000-1006.
- Adavkaverg, J.E. & R.L. Gilbertson, 1986. *Mycologia* 78: 694-705
- _____, 1987. Vegetative incompatibility between intraspecific pairings of *Ganoderma lucidum* and *G. tsugae*. *Mycologia* 79: 603-613.
- Akiyama, Y. et al. 1981. Immunological characteristics of anti-tumor polysaccharides lentinan and its analogues, as immune adjuvants. In *Manipulation of Host Defense Mechanisms*, Akoki, T. et al.(eds). Amsterdam: Excerpta Medica (International Congress Series 576).
- Amagase H. et al. 1984. L.E.M. May be Effective Against Treating Hepatitis B Cases. Abstr. 197 Gastroenterology World Congress, Lisbon.
- Anderson, H.C., J. Hajslova, V. Schulzova, Z. Panovksa, L. Hajkova, & J. Gry, 1999. Agaritine content in processed foods containing the cultivated mushroom (*Agaricus bisporus*) on the Nordic and Czech market. *Food additive Contamination Oct*: 16 (10):439-446.
- Antoniou L.D., et al. 1977. Reversal of Uraemic Impotence by Zinc. *Lancet* 2:895-98.
- Aoki T. et al. 1984. Antibodies to HTLV-1 and HTLV-3 in from Two Japanese Patients: One possible Pre-A.I.D.S. *Lancet* 2:936.
- Aoki T., 1987. Low natural killer syndrome: clinical and immunological features. *Nat. Immun. Cell Growth Regul.* 6(3), 116-128.
- Arinaga S., 1992. Enhanced induction of lymphokine-activated killer after lentinan administration in patients with gastric carcinoma. *Int. J. Immunopharmacol.* 14(4), 535-53.
- Arinaga S., 1992. Enhanced production of interleukin 1 and tumor necrosis factor by peripheral monocytes after lentinan administration in patients with gastric carcinoma. *Int. J. Immunopharmacol.* 14(1), 43-47.
- Balon TW., Jasman AP., Zhu JS, 2002. A fermentation product of *Cordyceps sinensis* increases wholebody insulin sensitivity in rats. *J Altern. Complement. Med.* 2002 Jun:8(3):315-23.
- Bankhead, C., 1999. Mushrooms may play role in breast cancer prevention and treatment. *Medicine Science News Dec.* 10.
- Bao X., Fang J., Li X.,2001. Structural characterization and immunomodulating activity of a complexglucan from spores of *Ganoderma lucidum*. *Biosci. Biotechnol. Biochem.* 2001:Nov:65(11):2384-91.
- Benedict, R.G., L.R. Brady, 1972. Antimicrobial activity of mushroom metabolites. *J. Pharm. Sci.* 61:1820-1822.

- Bobek, P., 1991. Colesterol-lowering effect of the mushroom *Pleurotus ostreatus* in hereditary hypercholesterolemic rats. *Ann. Nutr. Metab.* 35(4), 191-194.
- Bobek, P., L. Ozidin & S. Galbavy, 1998. Dose and time-dependent hypercholesterolemic effect of oyster mushroom (*Pleurotus ostreatus*) in rats. *Nutrition* March 14(3): 282-286.
- Bobek, P., O.Ozidin & M. Mikus, 1995. Dietary oyster mushroom (*Pleurotus ostreatus*) accelerates plasma turnover in hypercholesterolaemic rat. *Physiological Research* 44(5):287-291.
- Bok, J.W., et al. 1999. Antitumor sterols from the mycelia of *Cordyceps sinensis*. *Phytochemistry* Aug:51(7):891-898.
- Borchers, A.T., J.S. Stern, R.M. Hachman, C.L. Keen & M.E. Gershwin, 1999. Mushrooms, tumors and immunity. *Proc. Soc. Exp. Biol. Med.* Sept.221(4):281-293.
- Breene, W. M., 1989. Nutritional & Medicinal Value of Exotic Mushrooms. Shiitake Mushrooms. Proceeding of a National Symposium & Trade Show University of Minnesota 100-102.
- Broadbent, D., 1989. Antibiotics produced by fungi. *Bot. Rev.* 32: 219-242.
- Brodziak, L., 1984. Nutritive value of the mushroom *Lentinus edodes* (Berk.) Sing. (shiitake) compared with that of other edible mushrooms. *Rocz. Pantstw. Zakl. Hig.* 35(1), 59-62.
- Chang, R., 1993. Limitations and potential applications of *Ganoderma* and related fungal polyglycans in clinical ontology. First International Conference on Mushroom Biology and Mushroom Products:96.
- Chang, R., 1994. Effective does of *ganoderma* in humans. In Proc. Contributed Symposium 59A, B. 5th Intl. Mycol. Congr., Buchanan PK, Hseu RS and Moncalvo JM (eds), Taipei, p. 101-130.
- Chang, R., 1996. The central importance of the beta-glucan receptor as the basis of immunologic bioactivity of *Ganoderma* Polysaccharides, in Reishi. Mizuno t., Kim BK. (eds), II Yang Press, Seoul, p. 177-179.
- Chang, R.Y., 1996. Potential application of *Ganoderma* Polysaccharides in the Immune Surveillance and Chemoprevention of cancer. 153-160 In: Royse, D.J. (ed). 1996 Mushroom Biology and Mushroom Products. Proceedings of the Second International Congress.
- Cheng, Q., 1992. Effect of *cordyceps sinensis* on the cellular immunity in rats with chronic renal insufficiency. *Chung Hua I Hsueh Tsa Chih* (Taipei) 72(1), 27-29.
- Cheng, H.H., W.C. Hou, M.L. Lu, 2002. Interactions of lipid metabolism and intestinal physiology

- with *Tremella fuciformis* (Berk) edible mushrooms in rats fed high-cholesterol diet with or without Nebactin. *J. Agric. Food Chem.* 2002: Dec4:50(25:7438-43).
- Chen, A.W., 1997. Topical Use of Ganoderma Mushrooms. *The Mushroom Growers Newsletter* V (11), March 1997.
- Chen, Guo-Liang, 1992. Studies on the cultivation and medical efficacy of *Hericium erinaceus*. Translation. The Edible Fungi Research Institute of The Shanghai Academy of Agricultural Science, China.
- Chen, J., R., Jiang, 1980. A pharmacognostical study of the Chinese drug Lingzhi (*Ganoderma*). *Acta. Pharm. Sin.* 15:244.
- Chen, J., 1993. The effects of Chinese herbs on improving survival and inhibiting anti-ds DNA antibody production in lupus mice. *Am. J. Chin. Med.* 21(3-4), 257-260.
- Chen, K., Zhang, W. 1987. Advances on anti-aging herbal medicines in China. *Abstracts of Chinese Medicine.* 1:309-330.
- Chen, W.C., 1995. Effects of *Ganoderma Lucidum* and krestin on cellular immunocompetence in gamma-ray-irradiated mice. *Am. J. Chin. Med.* 23(1), 71-80.
- Chen, Y.J., 1997. Effect of *Cordyceps sinensis* on the proliferation and differentiation of human leukemic U937 cells. *Life Sci.* 60(25), 2329-2359 (1997).
- Chihara, G., 1969. Study on the antineoplastic activity and analysis of active fractions of Polyporaceae, *Lentinus edodes* and other basidiomycetes. *Nippon Rinsho* 27(6), 1739-1740.
- Chihara, G., 1970. Antitumor polysaccharides, lentinan and pachymaran. *Saishin Igaku* 25(5), 1043-1048.
- Chihara, G., et.al. 1970. Fractionation and purification of the polysaccharides with marked antitumor activity, especially lentinan, from *Lentinus edodes* (Berk.) Sing. (an edible mushroom). *Cancer Res.* 30(11), 2776-2780.
- Chihara, G., 1978. Antitumor and immunological properties of polysaccharides from fungal origin. National Cancer Institute, Tokyo. *Proceedings of the Tenth International Congress on the Science and Cultivation of Edible Fungi*, France.
- Chihara, G., 1987. Antitumor and metastasis-inhibitory activities of lentinan as an immunomodulator: an overview. *Cancer Detect. Prev. Suppl.* 1, 423-443.
- Chihara, G., Y.Y. Maeda, 1969. Inhibition of mouse sarcoma 180 by polysaccharides from *Lentinus edodes*. *Nature*, vol 222, pg. 687.
- Chiu, J.H., et al. 1998. *Cordyceps sinensis* increases the expression of major histocompatibility

complex class II antigens on human hepatoma cell line HA22T/VGH. *Am. J. Chin. Med.* 1998;26(2):159-170.

Christov, G, 1965. Studies on the antitumoral activity of Actinomycetes by the vitro method. *Dokl Bolg Akad Nauk* 18(6), 573-570.

Cochran, K.W., et al. 1967. Botanical Sources of Influenza Inhibitors. *Anti-Microbial Agents and Chemotherapy* 515.

Collins, R.A., T.B. Ng, 1997. Polysaccharopeptide from *Coriolus versicolor* has potential for use against human immunodeficiency virus type 1 infection. *Life Sciences* 60(25):PL383-370.

Cozens, D.D. et al., 1981a. The effect of lentinan on fertility and general reproductive performance of the rat. *Toxicol. Lett.* 9:55-64.

Currie, C.R., B. Wong, A.E. Stuart, T.R. Schultz, S.A. Rehner, U.G. Mueller, G.H. Sung, J.W. Spatafora, N.A. Straus, 2003. Ancient tripartite coevolution in the attine ant-microbe symbiosis. *Science.* 2003, 2003:17:299(5605):386-388.

Cutler, R.G., 1991. Anti-oxidants & Ageing. *Ann. J. Clin. Nutr.* 53:373-379S.

Czop, J.K., K.F. Austen, 1985. A beta-Glucan inhibitable receptor on human monocytes. *J. Immunol.* 134, 2588-593.

Daly, J.N. et al., 1988 Immune & Metabolic Effects of Arginine in the Surgical Patient. *Annal. Surg.* 208(4):512-523.

Dennart, G., D. Tucker. 1973. Antitumor polysaccharide Lentinan, a T-cell adjuvant. *J. Natl. Cancer Inst.* 51:1729.

deVere, R.W. White, R.M. Hackman, S.E. Soares, L.A. Beckett, B. Sun, 2002. Effects of a mushroom mycelium extract on the treatment of prostate cancer. *Urology.* 2002: Oct60(4):640-644.

Ding, G., 1987. Anti-arrhythmia agents in traditional Chinese medicines. *Abstracts of Chinese Medicines* 1:287-308.

Diplock, A.T., 1991. Anti-Oxidant Nutrients & Disease Prevention: An Overview. *A. J. Clin. Nutr.* 53:189S-193S.

Dong, Y., C.Y. Kwan, S.N. Chen, M. Yang, 1996. Antitumor effects of a refined polysaccharide peptide fraction isolated from *Coriolous versicolor*: In Vitro and In Vivo Studies. *Research Communications in Molecular Pathology and Pharmacology.* May, 92(2): 140-147.

Dong, Y.M., M.M. Yang, C.Y. Kwan, 1997. In vitro inhibition of proliferation of HL-60 cells by tetrandrine and *Coriolus versicolor* peptide derived from Chinese medicinal herbs. *Life Sciences* 60(8): PL135-140.

- Du, D.J. 1986. Antitumor activity of *Cordyceps sinensis* and cultured *Cordyceps mycelia*. *Chung Yao Tung Pao* 11(7), 51-54.
- Eisman, J.A. et al 1998. Rapid Turnover of 1.25 Dihydroxy Vitamin D Receptor in Human Target Cells. *Endocrinol.* 122:1613-1621.
- Espenshade. M.A., E.W. Griffith, 1966. Tumor-inhibiting basidiomycetes, isolation and cultivation in the laboratory. *Mycologia* 58:511-517.
- Fehser, J. et al. 1989. The effects of Lentinan on Superoxide Dismutase Enzyme Activity in Vitro. *Immunopharmacol. (Immunotoxicol.)* 11(1):55-61.
- Feofilova, E.P. et al. 1998. Lipid composition of fruiting bodies and submerged mycelium from *Lentinus edodes* (Berk.) Sing. *Mikrobiologija*. 1998 Sept-Oct:67(5):655-659.
- Finkelstein, M.P., S. Aynehchi, A.A. Samadi, S. Drinis, M.S. Choudhury, H. Tazki, S. Konno, 2002. Chemosensitization of carmustine with maitake beta-glucan on androgen-independent prostatic cancer cells: involvement of glyoxalase I. *J. Altern. Complement. Med.* 2002 Oct:8(5):573-580.
- Fruehauf, J.P. 1982. The effects of lentinan on the production of interleukin-1 by human monocytes. *Immunopharmacology* 5(1), 65-7.
- Fu, H., Z.Wang, 1982. Clinical effects of *Ganoderma lucidum* spore preparations in 10 cases of atrophic mytonia. *J. Trad. Chin. Med.* 2:63-65.
- Fujii, T., H. Maeda, F. Suzuki, N. Ishida. 1978. Isolation and characterization of a new antitumor polysaccharide, KS-2, extracted from cultured mycelia of *Lentinus edodes*. *Journal of Antibiotics* 31(1): 1079-1090.
- Fujita, A., et al. 1969. Determination of vitamin D by thin layer chromatography. II Determination of vitamin D in Shiitake *Lentinus edodes*. *Vitamins* 40:129-135.
- Fujimiya, Y., Y. Suzuki, K. Oshiman, H. Kobori, K. Moriguchi, H. Nakashima, Y. Matumoto, S. Takahara, T. Ebina, R. Katakura, 1998. Selective tumoricidal effect of water natural killer cell activation and apoptosis. *Cancer Immunology and Immunotherapy* 46:147:159.
- Fujimija, Y., Y. Suzuki, R. Katakura, T. Ebina, 1999. Tumor-specific cytotoxic and immunopotentiating effects of relatively low molecular weight products derived from the basidiomycetes, *Agaricus blazei* Murrill. *AntiCancer Research* Jan-Feb 19(1A):113-118.
- Gan, K.H., et al. 1998. Mediation of the cytotoxicity of lanostanoids and steriods of *Ganoderma tsugae* through apoptosis and cell cycle. *J. Nat. Prod.* April 61(4):485-487.
- Gao, B., G. Yang, 1991. Effects of *Ganoderma pplanatum* polysaccharide on cellular and humoral immunity in normal and sarcoma 180 transplanted mice. *Phytother. Res.* 5:134-138. From: CA 115:85011v.

- Gao, Q. et al. 1996. Characterisation of acidic heteroglycans from *Tremella fuciformis* (Berk.) with cytokine stimulation activity. *Carbohydrate Res.* 288:135-142.
- Gao, Q.P., et al. 1996. Characterization and cytokine stimulating activities of heteroglycans from *Tremella fuciformis*. *Planta Med.* 62(4):297-302.
- Gao, Q, et al. 1997. Characterization and cytokine stimulating activities of acidic heteroglycans from *Tremella fuctiformis*. *Planta Med.* 63:(5):457-460.
- Gao, Y. S. Zhou, J. Wen, M. Huang, A. Xu, 2002. Mechanism of the antiulcerogenic effect of *Ganoderma lucidum* polysaccharides on indomethacin-induced lesions in the rat. *Life Sci.* 2002 December 27:72(6):731-745.
- Garland, C.F. et al. 1989. Serum 25 Hydroxy-Vitamin D & Colon Cancer: 8 Year prospective Study. *Lancet* 2:1176-78.
- Geng, S. et al. 1985 Treatment of Hyerlipididemia with Cultivated *Cordyceps-A* Double Blind, Randomized Placebo Control Trial. *Chin. J. Integ. Med.* 5(11), 652.
- Gentao, L., R. Xu, 1985 Immuno-pharmacologic activity of *Cordyceps sinsensis* (Berk.). polysaccharide. *Chinese. J. Int. Trade & West. Med.* 21(6):622-624.
- Ghafar, M.A., E. Golliday, J. Bingham, M.M. Mansukihani, A.G. Anastasiadis, A.E.Katz, 2002. Regression of prostate cancer following the administration of Genistein Combined Polysaccharide (GCP), a nutritional supplement: a case report. *J. Altern. Complement. Med.* 2002 August 8(4):493-497.
- Ghoneum, M., 1994. NK-Immunomodulation by active hemicellulose compound (AHCC) in 17 cancer patients. Abstract of the 2nd Meeting Society of Natural Immunity, Taormina, Italy, May 25-28.
- _____, 1995. Immunomodulatory and anti-cancer properties of (MGN-3), a modified xylose from rice bran, in 5 patients with breast cancer. Abstract from: 87 th Meeting Am. Ass. Cancer Res. (AACR) special conference: The Interference between Basic and Applied Research November 5-8. Balimore, Maryland.
- _____, 1998. Enhancement of human natural killer cell activity by modified arabinooxylane from rice bran (MGM-3). *International J. of Immunotherapy XIV* (2):89-99.
- _____, 1998. Anti-HIV activity in vitro of MGN-3, an activated arabinooxylane from rice bran. *Biochemical and Biophysical Research Communications* 243:25-29.
- Ghoneum, M., G. Namatalla, 1996. Natural killer immunomodulatory function in 7 cancer patients by MGN-3, a modified arabinooxylane from rice bran. Abstract: *Ann. Assoc. Cancer Res.*, April 2-4. Washington, D.C.
- Ghoneum, M.M., F. Wimbley, F. Salem, A Mcklain, N. Attallan, G. Gill, 1995. Immunodulatory

and anticancer effects of active hemicellulose compound (AHCC). *Int. J. of Immunotherapy* XI (1) 23-28.

Gong, M. et al 1990. Molecular structure and immunoactivity of the polysaccharide from *Cordyceps Sinensis*. *Shengwu Huaxue Zazh.* 6:486-492. From: CA 1 14:948819w.

Gordon, M., B. Bihari, E. Goosby, R. Gorter, M. Greco, M. Guralnik, T. Minura, V. Rudinicki, R. Wong, Y. Kaneko, 1998. A placebo-controlled trial of the immune modulator, 330.

Goulet, N.R. et al. 1960. Differential and Specific of Echo Viruses by Plant Extracts. *Proc. Soc. Exp. Biol. Med.* 103-196.

Grabski, A.C. et al. 1998. Immobilization of manganese peroxide from *Lentitula edodes* and its biocatalytic generation of MnIII-chelate as a chemical oxidant of chlorophenols. *Biotechnol. Bioeng.* 1998 October 20:60(2):204-215.

Guan, Y.J., 1992. Effects of *Cordyceps sinensis* on T-lymphocyte subsets in chronic renal failure. *Chung Kuo Chung Hsi I Chieh Ho Tsa Chih* 12(6), 338-339.

Gunde-Cimerman, N.G. & A. Cimerman, 1995. *Pleurotus* fruiting bodies contain the inhibitor of 3-hydroxy-3-methylglutaryl-Coenzyme A Reductase-Lovastatin. *Experimental Mycology* 19: 1-6.

Gunde-Cimerman, N., 1999. Medical value of the genus *Pleurotus* (Fr.) P. Kast. (Agaricales s.l., Basidiomycetes). *Internat. J. of Medicinal Mushrooms* 1:69-80.

Guo, D.Z., et al. 1984. Preliminary observations on carboxyl-methyl *Poria cocos* polysaccharide (CMPCP) in treating chronic viral hepatitis. *J. Trad. Chinese Med.* December 1:4(4):282.

Haak-Frendscho, M., 1993. Ling Zhi-8: a novel T cell mitogen induces cytokine production and upregulation of ICAMM-1 expression. *Cell. Immunol.* 150(1), 101-111.

Hamano, K. et al. 1999. The preoperative administration of lentinan ameliorated the impairment of natural killer activity after cardiopulmonary bypass. *Int. J. Immunopharmacol.* August 21(8):531-540.

Hamuro, J., 1994. Synergistic antimetastatic effects of lentinan and interleukin 2 with pre- and post-operative treatments. *Jpn. J. cancer Research* 85(12), 1288-1297.

Harada, T., T. Kanetaka, 1987. Oral administration of LEM with EP3 improved the hepatic function of hepatitis-B patients in vivo without serious side effects. *Kantansui*, vol. 14, pg 327.

Hartoma, T.R. et al. 1977. Zinc Plasma Androgens and Male Sterility. *Lancet* 2:1125-26.

Hatanaka, K. et al. 1989. Sythesis of an Inhibitor of Human Immuno-Deficiency Virus Infection. *Jpn. J. Cancer Res.* 80:95-98.

- Hattori, T. et al. 1992. Studies on antinephritic effects of plant components (3): Effect of pachyman, a main component of *Poria cocos* Wolf on original-type anti-GBM nephritis in rats and its mechanisms. *Jpn. J. Pharmacol.* may 1: 59(1): 89-96.
- Hatvani, N., L. Kredics, Z. Antal, I. Meacs, 2002. Changes in activity of extracellular enzymes in dual cultures of *Lentinula edodes* and mycoparasitic *Tricoderma* strains. *J. Appl. Microbiol.* 2002:92(3):415-23.
- Hayakawa, K., N. Mitsuhashi, Y. Saito, et al. 1993. Effect of krestin (PSK) as adjuvant treatment on the prognosis after radical radiotherapy in patients with non-small cell lung cancer. *Anticancer Res.* 13:1815-20, 1993.
- Hazama, S., 1995. Clinical effects and immunological analysis of intraabdominal and intrapleural injection of lentinan for malignant ascites and pleural effusion of gastric carcinoma. *Gan To Kagaku Ryoho* 22(11), 1595-1597.
- Herlyn, D. 1985. Monoclonal antibody-dependent murine macrophage-mediated cytotoxicity against human tumors is stimulated by lentinan. *Jpn. J. Cancer Res.* 76(1), 37-42.
- Heyland, D.K., 2001. In search of the magic nutraceutical: problems with current approaches. *J. Nutr.* 2001 September 131(9 Suppl):2591S-2595S.
- Hirasawa, M. et al., 1999. Three kinds of antibacterial substances from *Lentinus edodes* (Berk.) Sing. (Shiitake, an edible mushroom). *Int. J. Antimicrob Agents.* Feb. 11(2):151-157.
- Hirotsu, M., T. Furuya, M. Shiro, 1985. A ganoderic acid derivative, a highly oxygenated lanostane-type triterpenoid from *Ganoderma lucidum*. *Phytochemistry*, 24(9):2055-2061.
- Hishida, I. 1988. Antitumor activity exhibited by orally administered extract from fruit body of *Grifola frondosa* (maitake). *Chem Pharm. Bull. (Tokyo)* 36(5), 1819-1827.
- Hockaday, T.D., 2002. Two herbal preparations, *Cordyceps Cs4* and *Cogent db*: do they act on blood glucose, insulin sensitivity, and diabetes as viscous dietary fibers? *J. Altern. Complement. Med.* 2002 Aug(8(4):403-405.
- Hockama, Y. et al 1981. In Vitro Inhibition of Platelet Aggregation with Low Dalton Compounds from Aqueous Dialysates of Edible Fungi. *Res. Comm. Chem. Pathol. & Pharmacol.* 31:177-180.
- Honma, H., S. Watanabe, et al. 1982. Clinical efficacy of schizophyllan (SPG) in treatment of lung cancers. A Randomized controlled study. *Hagan* 22: 499-512.
- Hong, Z., Y. Li, 1990. Immuno-pharmacological functions of *Cordyceps*. *Chi. J. Int. Trad. and West. Med.* 10(9):570-571.
- Horiuchi, Y., R. Kimura, N. Kato, T. Fujii, M. Seki, T. Endo, T. Kato, K. Kawashima, 2003. Evolutional study on acetylcholine expression. *Life Sci.* 2003 Feb. 28:72(15):1745-1756.

- Hu, H., N.S. Ahn, X. Yang, Y.S. Lee, K.S. Kang, 2002. Ganoderma lucidum extract induces cell cycle arrest and apoptosis in MCF-7 human breast cancer cell. *Int. J. Cancer*. 2002 Nov 20:102(3):250-253.
- Hugenholtz, J., E.J. Smid, 2002. Nutraceutical production with food-grade microorganisms. *Curr. Opin. Biotechnol.* 2002 Oct:13(5):497-507.
- Hsu, M.J., S.S. Lee, W.W. Lin, 2002. Polysaccharide purified from Ganoderma lucidum inhibits spontaneous and Fas-mediated apoptosis in human neutrophils through activation of the phosphatidylinositol 3 kinase/Akt signaling pathway. *J. Leukoc. Biol.* 2002 July72:(1):207-216.
- Iino, Y., T. Yokoe, S. Ohwanda, et al. 1993. Eight-year results of adjuvant immunochemotherapies vs chemotherapy in the treatment of operable breast cancer. 18th Intern. Congr. of Chemotherapy. June 27-July 2, 1993. Stockholm, Sweden. p. 162, 1993.
- Ikekawa, T., 1969. Antitumor activity of aqueous extracts of edible mushrooms. *Cancer Res.* 29(3), 734-735.
- Ikekawa, J., Y. Vehara, Y. Maeda, M. Nakanishi, 1969. Twenty years of studies on antitumor activities of mushrooms. *Cancer Research* 29: 734: 735.
- Ikumoto, T. et al. 1991. Physiologically active compounds in the extracts from Tockukaso and cultured mycelia of Cordyceps and Isaria. *Yakugaku Zasshi* 111(9): 504-509.
- Inoue, A., N. Kodama, H. Nanba, 2002. Effects of maitake (*Grifola frondosa*) D-fraction on the control of the T lymph node Th-1/Th-2 proportion. *Biol. Pharm. Bull.* 2002 April 25(4):536-540.
- Irinoda, K., 1992. Stimulation of microbicidal host defense mechanisms against aerosol influenza virus infection by lentinan. *Int. J. Immunopharmacol.* 14:971-977.
- Ishii, K., T. Kita, J. Hirata, et al. 1993. Antitumor effect of PKS and its combined effect with CDDP on ovarian serous adenocarcinoma-bearing nude mice. *Nippon Sanka Fujinka Gakkai Zasshi* 45:333-339.
- Ishizuka, T., 1995. Effects of interferon-gamma on cell differentiation and cytokine production of a human monoblast cell line, U 937. *Inflammation* 19(6), 627-636 (1995).
- Ito, H., 1972. Antitumor activity of Basidiomycetes. *Nippon Yakurigaku Zasshi* 68(4), 429-440.
- Ito, H., K., Shimura, H. Itoh, M. Kawade, 1997. Antitumor effects of a new polysaccharide-protein complex (ATOM) prepared from *Agaricus blazei* (Iwade Strain 101) "Himematsutake" and its mechanisms in tumor-bearing mice. *Anticancer Research* 17:277-284.
- Itoh, H., H. Ito, H. Amano, H. Noda. 1994. Inhibitory action of a (1→6)-B-D-Glucan-Protein Complex (FIII-2_b) isolated from *Agaricus blazei* Murrill and its antitumor mechanism.

Japn. J. of Pharmacology 66:265-271.

James, J.S. 1986. Shiitake, Lentinen, and AIDS/ARC. *Aid Treatment News*. 19:1-6.

Jennemann, R., et al. 1999. Basidiolipids from *Agaricus* are novel immune adjuvants. *Immunobiology*. June 200(2):277-289.

Jia, Y.F., X.B. Zhou, H. Meng, L.X. Zhang. Effects of Ling-Zhi on hemopoietic system in mice-immunopharmacological study (11). In: *The Research on Ganoderma (part I)*. S. Zhu and M. Mori (eds). Shanghai Med. U. Press, Shanghai, P. 284-288.

Jingyi, W., et al. 1997 Observation on the effects of Chinese medicine zhenxuanin for improving cerebral blood flow in rats with cerebral ischemia. *J. Tradit. Chin. Med. Dec.* 17(4):299-303.

Jong, S.C., 1991. Immunomodulatory substances of fungal origin. *J. Immunol. Immunopharmacol.* 11(3).

Jong, S.C., J.M. Birmingham, S.H. Pai, 1991. Immuno-modulatory substances of fungal origin. *J. of Immunol. Immunopharmacol.* Vol. XI, N. 3.

Jong, S.C., J.M. Birmingham, 1992. Medicinal effects of the mushroom *Ganoderma*. *Adv. Appl. Microbiol.* 37:101-134.

Jung-lieh, Chang, 1983. Experimental study of antitumor effect of an extract derived from *Zhu-Ling (Polyporus umbellatus)*. Institute of Material Medica, Academy of Traditional Chinese Medicine, Peking, China.

Kabir, Y., 1987. Effect of shiitake (*Lentinus edodes*) and maitake (*Grifola frondosa*) mushrooms on blood pressure and plasma lipids of spontaneously hypertensive rats. *J. Nutr. Sci. Vitaminol. Tokyo* 33(5), 341-346.

Kahlos, K. et al. 1996. Preliminary tests of antiviral activity of two *Inonotus obliquus* strains. *Fitopteria* 6 (4) 344-347.

Kanayama, H. et al. 1983. A new antitumor polysaccharide from the mycelia of *Poria cocos* wolf. *Chem. Pharm. Bull. (Tokyo)*. March 1:31(3):1115-1118.

Kanayama, H. et al. 1986. Studies on the antitumor-active polysaccharides from the mycelia of *Poria cocos* Wolf. I. Fractionation and purification of antitumor polysaccharide H11. *Yakugaku Zasshi*. March 1:106(3):199-205.

_____, et al. 1986. Studies on the antitumor-active polysaccharides from the mycelia of *Poria cocos* Wolf. II. Structural analysis of antitumor polysaccharide H11. *Yakugaku Zasshi*. March 1:106(3):206-211.

_____, et al. 1986. Studies on the antitumor-active polysaccharide from the mycelia of *Poria cocos* Wolf. III. Antitumor activity against mouse tumors. *Yakugaku Zasshi*. April 1: 106(4):307-312.

- Kanemoto, M., 1983. Acute Oral Toxicity Study of Lentinus Edodes Mycelial Powder (Monocelium rtm Powder) in Male and Female Mice, Biotechnical Research Laboratories, Inc. Tech. Report No. 830916A, Oct. 20.
- Kato, T., et al. 1979. Reduction of serum X-proline-dipeptidyl-aminopeptidase activity in tumor-bearing mice and reversal of reduced enzyme activity by lentinan, an anti-tumor polysaccharide, Experimenta, vol. 35 (3), pg. 409.
- Kawagishi et al., 1994. Erinacines A,B,C, strong stimulators of nerve growth factor synthesis (NGF)-synthesis from the mushroom *Hericium erinaceum*. Tetrahedron Letters 32 , vol. 32, no 35, pp. 4561-4564.
- Kawagishi, H., 1997. A lectin from mycelia of the fungus *Ganoderma lucidum*. Phytochemistry 44 (1), 7-10.
- Keogh, E.J. and Impotence Study Group of Western Australia. 1991. Medical Management of Impotence. Mod. Med. Australia 2:51-65.
- Kiho, T., 1993. Polysaccharides in fungi. XXXII. Hypoglycemic activity and chemical properties of a polysaccharide from the cultural mycelium of *Cordyceps sinensis*. iol. Pharm. Bull. 16 (12), 1291-1293.
- Kiho, T., et al. 1995. Polysaccharides in fungi XXXV. Anti-diabetic activity of an acidic polysaccharide from the fruiting bodies of *Tremella aurantia*. Biol. Phar. Bull. 18(12): 1627-1629.
- Kiho, T., 1996. Polysaccharides in fungi. XXXVI. Hypoglycemic activity of a polysaccharide metabolism in mouse liver. Biol. Pharm. Bull. 19(2), 294-296.
- Kiho, T., et al. 1999. Structural features and hypoglycemic activity of a polysaccharide (CS-F10) from the cultured mycelium of *Cordyceps sinensis*. Biol. Pharm. Bull. Sept. 22(9):966-970.
- Kim, B.K., H.W. Kim, E.C. Choi, 1994. Anti-HIV effects of *Ganoderma lucidum*. In: Symposium 59 A.B. 5th International Mycological Congress. Vancouver.
- Kim, D.H., et al. 1998. Beta-glucuronidase-inhibitory activity and hepatoprotective effect of *Ganoderma lucidum*. Biol. Pharm. Bull. 1999 Feb;22(2):162-4.
- Kim, H.S. et al. 1999. In vitro chemopreventive effects of plant polysaccharides (*Aloe barbadensis miller*, *Lentinus edodes*, *Ganoderma lucidum* and *Coriolus versicolor*). Carcinogenesis. Aug;20(8):167-1640.
- Kim, K.C., et al. 1999. *Ganoderma lucidum* extract protects DNA from strand breakage caused by hydroxyl radical and UV irradiation. Int J. Mol. Med. Sept;4(3):273-277.
- Kim, J.R. S.H. Yeon, H.S. Kim, Y.J. Ahn, 2002.. Larvicidal activity against *Plutella xylostella* of cordycepin from fruiting body of *Cordyceps militaris*. Pest Manag. Sci. 2002

Jul:58(7):713-717.

- Kim, R.S., 1997. Suppressive effects of ganoderma lucidum on proliferation of peripheral blood mononuclear cells. *Mol. Cells.* 7(1):52-55.
- Kim, S.W., H.J. Hwang, C.P. Xu, J.M. Sung, J.W. Choi, J.W. Yun. Optimization of submerged culture process for the production of mycelial biomass and exo-polysaccharides by *Cordiceps militaris* C738. *J. Appl. Microbiology.* 2003:94(1):120-126.
- Kio, T., M. Sakushima, S.R. Wang, K. Nagai, S. Ukai, 1991. Polysaccharides in fungi XXVI. Two branched 1-3-beta-D-glucans from hot water extract of Yuer. *Chem. Pharm. Bull. (Tokyo)* Mar :39(3): 798-800.
- Kobayashi, H., K. Matsunaga, M. Fujii, 1993. PSK as a chemopreventive agent. *Cancer Epidemiology, Biomarkers and prevention.* May-June:2(3):271-276.
- Kobayashi, H., F. Kumagai, T. Itagaki, T. Koyama, N. Inokuchi, M. Iwama, K. Ohgi, M. Irie, 2002. Amino acid sequence and characterization of a nuclease (nuclease Le3) from *Lentinus edodes*. *Biosci. Biotechnol. Biochem.* 2002 Jun:66(6):1345-1355.
- Kobayashi, H., K. Matsunaga, Y. Oguchi, 1995 Antimetastatic effects of PSK (Krestin), a protein based polysaccharide obtained from basidiomycetes: an overview. *Cancer Epidemiology, Biomarkers and Prevention* 4(3):275-281.
- Kodama, N., K. Komuta, H. Nanba, 2002. Can maitake MD-fraction aid cancer patients? *Altern. Med. Rev.* 2002 Jun:7(3):236-239.
- Kodama, N., N. Harada, H. Nanaba, 2002. A Polysaccharide Extract From *Grifola frondosa* Induces Th-1 Dominant Responses in Carcinoma-Bearing BALB/c Mice. *Jpn. J. Pharmacol.* 2002 Dec:90(4):357-360.
- Kodama, N. K. Kouta, N. Saki, H. Nanba, 2002. Effects of D-Fraction, a Polysaccharide from *Grifola frondosa* on Tumor Growth Involved Activation of NK Cells. *Biol. Pharm. Bull.* 2002 Ed:25(12):1647-1650.
- Koh, J.H., J.M. Kim, U.J. Chang, H.J. Suh, 2003. Hypocholesterolemic Effect of Hot-Water Extract from Mycelia of *Cordyceps sinensis*. *Biol. Pharm. Bull.* 2003 Jan:26(1):84-87.
- Koh, J.H., K.W. Yu, H.J. Suh, Y.M. Choi, T.S. Ahn, 2002. Activation of macrophages and intestinal immune system by an orally administered decoction from liquid mycelia of *Cordyceps sinensis*. *Biosci. Biotechnol. Biochem.* 2002 Feb:66(2):407-411.
- Konishi, H., 1988. Polysaccharides-contg. extracts from Heterobasidiae as an anti-inflammatory agent. *Jpn. Kokai Tokyo Koho.* 63 JP 63, 183, 537{88,183,537}.
- Koyama, K., 1997. Antinociceptive compounds of ganoderma lucidum. *Planta Med.* 63(3), 224-227 (1997).
- Kubo, K., A. Aoki, H. Nanba, 1994. Anti-diabetic activity present in the fruit body *Grifola*

frondosa (Maitake). Biol. Pharm. Bull. 17(8):1106-1110.

Kubo, K., 1996. The Effect of maitake mushrooms on liver and serum lipids. Altern. Ther. Health Med. 2(5):62-66.

Kunno, S., S. A. Fulleron, A.A. Samadi, D.G. Tortorelis, C. Mallouh, H. Tazaki, 2000. Apoptosis in prostatic cancer cells with maitake mushroom extract: potential alternative therapy. In press.

Kuo, K., 1994. Growth inhibitors against tumor cells in Cordyceps sinensis other than cordycepin and polysaccharides. Cancer Invest. 12(6):611-615

_____, 1996. Cordyceps sinensis as an immunomodulatory agent. Am J. Chin. Med. 24(2):111-125 (1996).

Kupin, V., 1994. A new biological response modifier-Ganoderma lucidum-and its application in oncology. In Proceedings from the 6th International Symposium on Ganoderma lucidum. Seoul, II Yang, p. 36-37.

Kurashige, S., 1997. Effects of lentinus edodes, Grifola frondosa and Pleurotus ostreatus administration on cancer outbreak, and activities of macrophages and lymphocytes in mice treated with a carcinogen., N-butyl-N-butanolnitrosoamine. Immunopharmacol. Immunotoxicol. 19(2):175-183.

Kweon, M.H., 1998. Studies on bioactive polysaccharide isolated from Agaricus bisporus (Kor, Eng abstract). Agr. Chem. Biochem. 41:60-66.

Lee, S., F.D. Chen., S.C. Chang et al. 1984. In vivo anti-tumor effects of crude extracts from the mycelium of Ganoderma lucidum. J. of Chinese Oncology Society 5(3):22-28.

Lei, J., 1992. Pharmacological study on Cordyceps sinensis (Berk.) Sacc. and ze-e Cordyceps. Chung Kuo Chung Yao Tsa Chih 17(6):364-366.

Lei, L.S. 1993. Effects of ganoderma polysaccharides on the activity of DNA polymerase alpha of splenocytes and immune function in aged mice. Yao Hsueh Hsueh Pao 28(8):577-580.

Li, S.P., Z.R. Su, T.T. Dong, K.W. Tsim, 2002. The fruiting body and its caterpillar host of Cordyceps sinensis show close resemblance in main constituents and anti-oxidation activity. Phytomedicine 2002 May:9(4):319-324.

Lieu, C.W., 1992. The effect of ganoderma lucidum on induction of differentiation in leukemic U937 cells. Anticancer Res. 12(4):1211-1215.

Lin, C.Y., 1999. Inhibition of activated human mesangial cell proliferation by the natural product of Cordyceps sinensis (H1-A): an implication for treatment of IgA mesangial nephropathy. J. Lab. Clin. Med. Jan:133(1):55-63.

Lin, L.M., 1993 Evaluation of the anti-inflammatory and liver protective effects of anoectochilus

formosanus, ganoderma lucidum, and gynostemma pentaphyllum in rats. Am J. Chin. Med. 21(1):59-69.

Lin, J.M., 1995. Radical scavenger and antihepatotoxic activity of ganoderma formosanus, Ganoderma lucidum and Ganoderma neo-japonicum. J. Ethnopharmacol. 47(1):33-34.

Lin, W.H., 1997. Dimerization of the N-terminal amphipathic alpha-helix domain of the fungal immunomodulatory protein from Ganoderma tsugae (Fip-gts) defined by a yeast two-hybrid system and site direct mutagenesis. J. Biol. Chem. 272(32):20044-2048.

Lin, Z.B., 1993. Advances in the pharmacology of Tremella polysaccharides. Mushroom Biology and Mushroom Products. S.T. Chang et al., pp293-298. The Chinese Press.

Lin, Y., G. Wu, 1988. Protective effect of Polporus umbellatus polysaccharide on toxic hepatitis in mice. 9:345-348 From: Abstr. of Chin. Med. 1:44.

Lin, Y. et al., 1987. A double-blind treatment of 72 cases of chronic hepatitis with Lentinan injection. New Drugs and Clinical Remedies 6:362-363 From: Abstr. of Chin. Med. 2:325.

___, 1989. Pharmacological and gastronomic effects of fungi and its applications. Chemical Times No.1, p.12-21.

Lin, P.Z. 1984. Inhibitory effect of Cordyceps on carcinogenesis of the forestomach in mice. Chung Hua Chung Liu Tsa Chin 6(5):335-337.

Liu, Z.Y., et al. 1993. Effect of improving memory and inhibiting acetylcholinesterase activity by in vigorating-qi and warming-yang recipe, Poria cocos. Chun Kou Chung Hsi I Chieh Ho Tsa Chih. Nov.1:13(11):675-676.

Liu, C., 1992. Effects of Cordyceps sinensis on the in vitro natural killer cells. Chung-Kua, chung Hsi I Chieh Ho Tsa Chih 12:267-269, 259.

Liu, Y.C. et al. 1995. Effects of poria cocos on ototoxicity induced by kanamycin in guinea-pigs. Chung Kuo Chung Hsi I Chieh Ho Tsa Chih. July 1: 15(7): 422-423.

Liu, F., et al. 1999. Analysis of immunomodulating cytokine mRNAs in mouse induced by mushroom polysaccharides. Life Sci. 64(12):1005-11.

Liu, X. J.P. Yuan, C.K. Chung, X.J. Chen, 2002. Antitumor activity of the sporoderm-broken germinating spores of Ganoderma lucidum. Cancer Lett. 2002 Aug. 28:182(2):155-61.

Lovy, A., B. Knowles, R. Labbe, L. Nolan, 1999. Activity of edible mushrooms against the growth of human T4 leukemia cancer cells, and Plasmodium falciparum. J. of Herbs, Spices and Medicinal Plants. 6(4):49-57.

Lu, H., E. Kyo, T. Uesaka, O. Katoh, H. Watanabe, 2002. Prevention of Development of N,N'-dimethylhydrazine-induced colon tumors by a water-soluble extract from cultured medium of Ganoderma lucidum (Rei-shi) mycelia in male ICR mice. Int. J. Mol. Med.

2002 Feb.9(2):113-117.

Lu, Z.W., 1995. Psychoneuroimmunological effects of morphine and the immunoprotection of Ganoderma polysaccharides peptide in morphine-dependent mice. *Sheng Li Ko Hsueh Chin Chan* 26(1):45-49.

Luo, J. Y.Y. Zhao, Z.B. Li, 2002. A new lanostane-type triterpene from fruiting bodies of *Ganoderma lucidum*. *J. Asian Nat. Prod. Res.* 2002 Jun:4(2):129-34.

Ma, J., Q. Ye, Hua, D. Zhang, R. Cooper, M.N. Chang, J.Y. Chang, H.H. Sun, 2002. New lanostanoids from the mushroom *Ganoderma lucidum*. *J. Nat. Prod.* 2002 Jan.:65(1):72-75.

Ma, L., Z.B. Lin, 1992. Effect of *Tremella* polysaccharide on IL-2 production by mouse splenocytes. *Acta Pharmacologica Sinica* 27(1).

Maeda, Y.Y., 1996. Two genes controlling acute phase responses by the antitumor polysaccharide, lentinan. *Immunogenetics* 43(4):215-219.

Maeda, Y.Y., G. Chihara, 1971. Lentinan, a new immuno-accelerator of mediated response. *Nature (London)* 229:634.

Manabe, N., 1996. Effects of the physical mycelial extract of cultured *Cordyceps sinensis* on in vivo hepatic energy metabolism in the mouse. *Jpn. J. Pharmacol.* 70(1):85-88.

Manohar, V., N.A. Talpur, B.W. Echard, S. Lieberman, H.G. Preuss, 2002. Effects of water-soluble extract of maitake mushroom on circulating glucose/insulin concentrations in KK mice. *Diabetes Obes Metab.* 2002 Jan:4(1):43-48.

Masayasu, N., et al 1987. The Effects of the Alcohol Deposit Fraction LAP of LEM in Reinforcing the macrophages Phagocytosis Ability. *J. Japn. Reticuloendothelial System Res. Assoc.*, vol. 27(1):2291-2296.

Matsumoto, K., M. Ito, S. Tagyu, H. Ogino, I Hirono, 1991. Carcinogenicity examination of *Agaricus bisporus*, an edible mushroom in rats. *Cancer Letters* 58 (1-2): 87-90.

Matsuoka, H., 1995. Usefulness of lymphocyte subset change as an indicator for predicting survival time and effectiveness of treatment with the immunopotentiator lentinan. *Anticancer Res.* 15(5B):2291-2296.

Mattila, P., P. Salo-Vaananen, K. Konko, H. Aro, T. Jalava, 2002. Basic composition and amino acid contents of mushrooms cultivated in Finland. *J. Agric. Food Chem.* 2002 Oct:23:50(22):6419-6422.

Mau, J., H.C. Lin, C.C. Chen, 2002. Antioxidant properties of several medicinal mushrooms. *J. Agric. Food Chem.* 2002 Oct:9:50(21):6072-6077.

Mayer, J., J. Drews, 1980. The effect of protein-bound polysaccharide from *Coriolus versicolor* on immunological parameters and experimental infections in mice. *Infection* 8:13-21

- Mitomi, T., S. Tsuchiya, N. Iijima, et al. 1992. Randomized control study on adjuvant immunochemotherapy with PSK in curatively resected colorectal cancer. *Diseases of the Colon and Rectum*. 35(2):123-130.
- Miyakoshi, H., 1984. Acting mechanisms of Lentinan in humans -I. Augmentation of DNA synthesis and immunoglobulin production of peripheral mononuclear cells. *Int. J. Immunopharmacol.* 6(4):365-371.
- _____, 1984. Acting mechanisms of Lentinan in humans -II. Enhancement of non-specific cell-mediated cytotoxicity as an interferon inducer. *Int. J. Immunopharmacol.* 6(4):373-379.
- Miyamoto, T., T. Abe, K. Hasunuma, 1985. Japan Kokai Tokyo Koho JP60, 199,80 {85,199.810} (CI. A61K7/06). *Appl.* 84/5,977.24 Mar. 1984.
- Miyazaki, T., 1981. Studies on fungal polysaccharides. XXVII. Structural examination of a water-soluble, antitumor polysaccharide of *Ganoderma lucidum*. *Chem. Pharm. Bull. (Tokyo)* 29(12):3611-3616.
- _____, 1983. Antitumor activity of fungal crude drugs. *J. of Trad. Sino-Jpn. Med.* 4(1):61-65.
- Mizoguchi, Y., et al. 1987. Protection of liver cells against experimental damage by extract of cultured *Lentinus edodes* mycelia (LEM). *Gast. Japonica* 22:459-464.
- _____, et al. 1987. Determination of IL-1 Activity in the Supernatant of a Macrophage Culture Treated with LEM. *Kantansui* vol.15(1):127-135.
- _____, 1987. The Effects of LEM on the Induction of anti-TNP-SRBC Antibody Producing Cells by PWM Stimulation. *Kantansui* vol.15(1):127-135.
- Mizono, M., 1996. Preparation and specificity of antibodies to an anti-tumor beta-glucan, lentinan. *Biochem. Mol. Biol. Int.* 39(4):679-685.
- Mizuno, T., 1988. Development and utilization of bioactive substances from medical and edible mushroom fungi. II *Ganoderma lucidum*. *Chemical Times* 1989(3) 50-60.
- _____, 1989. YamabuShiitake, *Herichium erinaceum*: bioactive substances and medicinal utilization. *Food Reviews International* 11(1):173-178.
- _____, 1989. Pharmacological and gastronomic effects of fungi and its applications. *Chemical Times* 1:12-21.
- _____, 1992. Antitumor-active polysaccharides isolated from the fruiting body of *Herichium erinaceum*, an edible and medicinal mushroom called yambushitake or houtou. *Biosci. Biotechnol. Biochem.* 56(2): 347-348.
- _____, ed., 1995. Mushrooms: The versatile fungus-food and medical properties. In *Food Reviews*

International, 11(1). Marcel Dekker, Inc., New York.

____, 1996. A development of antitumor polysaccharides from mushroom fungi. FFI Journal 167:69-85.

Mizuno, T., T. Hagiwara, T. Nakamura, H. Itoh, K. Shimura, T. Sumiya, A. Asakura, 1990. Antitumor activity and some properties of water-soluble hetro-glycans from "Himematsutake", the fruit body of *Agaricus blazei* Murill. Agricultural and Biological Chemistry 54. Tokyo 2897-2905.

____, 1990. Antitumor activity and some properties of water-soluble polysaccharides from "Himematsutake," the fruiting body of *Agaricus blazei* Murrill. Agricultural and Bio. Chem. 54 Tokyo. 2889-2896.

Mizuno, T., H. Ito, K. Shimura, T. Hagiwara, T. Nakamura, 1989. Preparation method of antitumor neutral polysaccharides from Himematsutake. Japan Koai Tokkyo Koho (a), Sho64-67195, March 13, 565-568.

____, 1989. Preparation method of antitumor acidic glycans from Himematsutake. Japan Kokai Tokkyo Koho (A), Sho64-67194, march 13, 561-564.

Mizuno, T., M. Morimoto, K. Minato, H. Tsuchida, 1998. Polysaccharides from *Agaricus blazei* stimulate the lymphocyte T-cell subsets in mice. Bioscience Biotech. and Biochem. March 62(3):434-437.

Mizuno, M., K. Minato, K. Ito, M. Kawade, H. Terai, H. Tsuchida, 1999. Antitumor polysaccharide from the mycelium of liquid-cultured *Agaricus blazei* Murrill. Int. J. Biochem. and Molecular Bio. April 47(4):707-714.

Mizuno, T., T. Waa, H. Ito, C. Susuki, N. Ukai, 1992. Antitumor-active polysaccharides isolated from the fruitbody of *hericium erinaceum*, an edible and medicinal mushroom called "yamabushiiitake" or houtou. Biosci. Biotech. Biochem. Feb. 56(2):347-348.

Mizuno, T., H. Saito, T. Nishitoba, H. Kawagishi, 1995. Antitumor active substances from mushrooms. Food Reviews International 111:23-61.

Mizuno, T., C. Zhung, 1995. Maitake. *Grifola frondosa*, pharmacological effects. Food Reviews International 111:135-149.

Mizushina, Y., L. Hanashima, T. Yamaguchi, M. Takemura, F. Sugawar, M. Saneyoshi, A. Matsukage, S. Yoshida, K. Sakaguchi, 1998. A mushroom fruiting body-inducing substance inhibits activities of replicative DNA polymerases. Biochem. and Biophysical Research Comm. Aug. 10:249(1):17-22.

Mlodecki, H., 1968. Tryptophan content in some edible mushrooms. Rocz Panstw Zakl Hig 19(4):453-457.

- Mori, H. 1987. Effect of immunostimulants and antitumor agents on tumor necrosis factor (TNF) production. *Int. J. Immunopharmacol.* 9:881-882.
- Morigawa, A., K. Kitabatake, Y. Fujimoto, N. Ikekawa, 1986. Angiotensin converting enzyme-inhibitory triterpenes from *Ganoderma lucidum*. *Chem. and Pharm. Bull.* 34(7): 3025-3028.
- Morinaga, H., 1994. An in vivo study of hepatic and splenic interleukin-1 beta mRNA expression following oral PSK or LEM administration. *Jpn. J. Cancer res.* 85(12):1298-1303.
- Mulhbachter, F., C. Kapadia, 1982. Glutamine Metabolism in Skeletal Muscle Role of Glucocorticoids. *Langenbeck's Arch. Chir.* 357:203 (abstract).
- Murkakami, M., 1997. Decreased pulmonary perfusion in hypersensitivity pneumonitis caused by Shiitake mushroom spores. *J. Intern. Med.* 241(1):85-88.
- Murata, T, 1996. Lentinan enhances sensitivity of mouse colon 26 tumor to cis-diamminedichloroplatinum (II) and decreases glutathione transferase expression. *Jpn J. Cancer Res.* 87(11):1171-1178.
- Murcia, M.A., M. Martinez-Tome, A.M. Jimenez, A.M. Vera, M. Honrubia, P. Parras, 2002. Antioxidant activity of edible fungi (truffles and mushrooms): losses during industrial processing. *J. Food Prot.* Oct:65(10):1614-22.
- Nakamura, K., et al. 1999. Inhibitory effect of *Cordyceps sinensis* on spontaneous liver metastasis of Lewis lung carcinoma and B16 melanoma cells in syngeneic mice. *Jpn. J. Pharmacol.* Mar:79(3):335-341.
- _____, 1999. Activation of in vivo Kupffer cell function by oral administration of *Cordyceps sinensis* in rats. *Jpn. J. Pharmacol.* Apr: 79(4):550-508.
- Nakano, H., et al 1999. A multi-institutional prospective study of lentinan in advanced gastric cancer patients with unresectable and recurrent diseases: effect on prolongation of survival and improvement of quality of life. Kanagawa Lentinan Research group. *Hepatogastroenterology.* Jul-Aug:46(28):2662-2668.
- Nakazato, H., A. Koike, S. Saji et al. 1994. Efficacy of immunochemotherapy as adjuvant treatment after curative resection of gastric cancer. Study Group of Immunochemotherapy with PSK for Gastric Cancer. *Lancet* 343(8906):1122-1126.
- Nanba, H., 1987. The chemical structure of antitumor polysaccharide fruitbodies of *Grifola frondosa* (Maitake). *Chem. Pharm. Bull.* 35:1162-1168.
- _____, 1992. Maitake: The King of Mushrooms. *Explore* 3(5):44-46.
- _____, 1995. Results of Non-Controlled Clinical Study of Various Cancer Patients Using Maitake D-Fraction. *Explore!* vol.6, no.5:19-21.
- _____, 1995. Activity of maitake D-fraction to inhibit carcinogenesis and metastasis. *Ann. N.Y.*

Acad. Sci. 768:243-245.

Ng, T.B., 1998. A review of research on the protein-bound polysaccharide (polysaccharopeptide PSP) from the mushroom *Coriolus vericolor*. *General Pharmacology* Jan. 30(1):1-4.

Ng, M.L., A.T. Yap, 2002. Inhibition of Human Colon Carcinoma Development by Lentinan from Shiitake Mushrooms (*Lentinus edodes*). *J. Altern. Complement. Med.* Oct::8(5):581-590.

Nunoshiba, T., et al. 1990. Antimutagenic activity of helen extracts. *Sci. Eng. Rev. Doshisha Univ.* 30:266-272.

Odani, S., et al 1999. The inhibitory properties and primary structure of a novel serine proteinase inhibitor from the fruiting body of the basidiomycete, *Lentinus edodes*. *Eur. J. Biochem.* Jun:262(3):915-923.

O'Dorisio, M.S., et al 1985. Vasoactive Intestinal Polypeptide and Neuropeptide Modulation of the Immune Response. *J. Immunol.* 135:792S-796S.

Ogawa, K. 1994. Study on the antitumor administration of lentinan-primary changes in cancerous tissue. *Gana To Kagaku Ryoho* 21(13):2101-2104.

Oganawa, T., et al. 1999. Effects of 5'-DFUR and lentinan on cytokines and PNPase against AH66 ascites hepatoma in rats. *Anticancer Res.* Jan-Feb:19(1A):375-379.

Oguchi, Y., 1987. Effect of PSK on cytotoxicity against sarcoma 180 in tumor bearing mice. *Anticancer Research. Pt B.* 7:68--689.

Ohmori, T., 1986. Antitumor activity of protein-bound polysaccharide from *Cordyceps ophioglossoides* in mice. *Jpn. J. Cancer Res.* 77(12):1256-1260.

Ohno, N., 1985. Neutral and acidic antitumor polysaccharides extracted from cultured fruit bodies of *Grifola frondosa*. *Chem. Pharm. Bull. (Tokyo)* 33(3):1181-1180.

Ohtsuru, M., 1992. Anti-Obesity Activity Exhibited by Orally Administered Powder of Maitake Mushroom (*Grifola frondosa*). *Ashin* July:pp.198.

Okamura, M., 1994. Distribution of ascorbic acid analogs and associated glycosides in mushrooms. *J. Nutr. Sci. Vitaminol. (Tokyo)* 40(2):81-90.

Okamoto, K., et al. 1993. Antimicrobial chlorinated orcinol derivatives from mycelium of *Hericium erinaceus*. *Phytochemistry* vol.34:no.5:1445-1446.

Okazaki, M., Y. Adachi, N. Ohno, Y. Yadamae, 1995. Structure-activity relationship of (1->3)-beta-D-glucans in the induction of cytokine production from macrophages, *in vitro*. *Biol. Pharm. Bull.* 18(10):1320-1327.

Okuda, T., T. Yoshioka., et al. 1972. Anti-complementary activity of anti-tumor polysaccharides in Nature. *New Biol.*, vol.238, pg. 59.

- Olsen, R., et al. 1989. In: Bio-Medical Applications of Chiton and Its Derivatives-Chitin and Chitosan Eds. S.K. Jak-Brack et al. Elsevier Science Pub. pp. 813-828.
- Ooi, L.S., F. Liu, V.E. Ooi, T.B. Ng, N.C. Fung, 2002. Gene expression of immunomodulatory cytokines induced by *Natcissus tazetta* in the mouse. *Biochem. Cell. Biol.* 80(2):271-277.
- Otsuka, M., 1996. Influences of a shiitake (*Lentnus edodes*) fructo-oligosaccharide mixture (SK-204) on experimental pulmonary thrombosis in rats. *Yakugaku Zasshi* 116(2):169-173.
- Park, E.J., 1997. Antifibrotic effects of a polysaccharide extracted from *Ganoderma lucidum*, glycyrrhizin, and pentoxifylline in rats with cirrhosis induced by biliary obstruction. *Biol. Pharm. Bull.* 20(4):417-420.
- Pilegaard, K., E. Kristianson. O.A. Meyer, J Gry, 1977. Failure of the cultivated mushroom (*Agaricus bisporus*) to induce tumors in the A/J mouse lung tumor model. *Cancer letters* Nov.25:120(1):79-85.
- Piraino, F., C.R. Brandt, 1999. Isolation and partial characterisation of an antiviral, RC-183, from the edible mushroom, *Rozites caperata*. *Antiviral Research* 43:67-78.
- Pochanavanich, P., W. Suntornsuk, 2002. Fungal chitosan production and its characterisation. *Lett. Appl Microbiol.* 35(1):17-21.
- Qingtian, Z., et al. 1991. Antitumor activity of *Flammulina velutipes* polysaccharides (FVP). *Edible Fungi of China* 10(2):11-15.
- Rafique, M., 1995. Effects of intraportal administration of chemimmunotherapeutic agents on natural killer cell activity in the rat liver. *J. Surg. Oncol.* 60(3):154-159.
- Sakagami, H., M. Takeda, 1993. Diverse biological activity of PSK (Krestin): a protein bound polysaccharide from *Coriolous veriscolor* (Fr.) Quel. In: *Mushroom Biol. and Mush. Products*, eds S.T. Chang, J.A. Buswell & Siu-wai Chiu, The Chinese University Press, Hong Kong. pp. 237-245.
- Sakagami, H., K. Sugaya, A. Utsumi, S. Fujinaga, T. Sato, M. Takeda, 1993. Stimulation by PKS of interleukin-1 production by human peripheral blood mononuclear cells. *Anticancer Research*, May-June 13(3):671-675.
- Samajpati, N., 1979. Nutritional Value of some Indian edible mushrooms. *Mushroom Science X* (Part II):695-703.
- Salvucci, O., 1996. Differential regulation of interleukin-12- and interleukin-15-induced natural killer cell activation by interleukin-4. *Eur. J. Immunol.* 26(11):2736-2741.
- Sasaki, T., 1976 Further study of the structure of lentinan, an anti-tumor polysaccharide from *lentinus edodes*. *Carbohydr. Res.* 47(1):99-104.

- Sato, T., et al. 1998. Transformation of the edible basidiomycete *Lentinus edodes* by restriction enzyme-mediated integration of plasmid DNA. *Biosci. Biotechnol. Biochem.* Dec:62(12):2346-2350.
- Scharf, M.B. et al. 1989. Comparative Effect of Prazosin and Hydrochlorothiazide on Sexual Function in Hypertensive Men. *Am. J. Med.* 86 Supp. 18:110:112.
- Schillings, R.T., H.W. Ruekies, 1968. Poricin, an acidic protein with anti-tumore activity from a basidiomycete. II. Crystalization, composition and properties. *Arch. Biochem. Biophys.* 127:672:679.
- Schinella, G.R., H.A. Tournier, J.M Prieto, D. Moridujovich, J.L. Rios, 2002. Antioxidant activity of anti-inflammatory plant extracts. *Life Sci.* Jan.70(9):1023-1033.
- Shao, G., 1985. Treatment of hyperlipidemia with cultivated *Cordyceps*-a double blind, randomized placebo control trial. *Chung Hsi I Chieh Ho Tsa Chih* 5(11):652-665.
- Shieh, Y.H., C.F. Liu, Y.K. Huang, J.Y. Yang, I.L. Wu, C.H. Lin, S.C Li, 2001. Evaluation of the hepatic and renal-protective effects of *Ganoderma lucidum* in mice. *Am. J. Chin. Med.* 29(3-4):501-507.
- Shimada, Y., T. Morita, K. Sugiyama, 2002. Effects of *Lentinus edodes* on fatty acids and molecular species profiles of phosphatidylcholine in rats fed different levels of corn oil. *Biosci. Biotechnol. Biochem.* Aug:66(8):1759-63.
- Shi, J.H., 1993. PSP for the protection of the tumorous patients during chemotherapy. In: 1993 PSP Intl. Symposium, Q.Y Yang and C.Y Kwok (eds.), Fudan U. Press, Shanghai, p. 271-272.
- Shi, Y.L., A.E. James, I.F Benzie, J.A Bushwell, 2002. Mushroom-derived preparations in the prevention of H₂O₂-induced oxidative damage to cellular DNA. *Teratog Carinog. Mutagen.* 22(2):103-111.
- Sia, Y.L., et al 1999. Effects of shiitake (*Lentinus edodes*) extract on human neutrophils and the U937 monocytic cell line. *Phytother. Res.* Mar:13(2):133-137.
- Sliva, d., C. Labarre, V. Slivova, M. Sedlak, F.P. Lloyd Jr., N.W. Ho, 2002. *Ganoderma lucidum* suppresses motility of highly invasive breast and prostate cancer cells. *Biochem. Biophys. Res. Commun.* Nov.8:298(4):603-612.
- Smriga, M., et al 1995. Hoelen (*Poria cocos* Wolf) and ginseng (*Panax ginseng* C.A. Meyer), the ingredients of a Chinese prescription DX-9386, individually promote hippocampal long-term potentiation in vivo. *Biol Pharm. Bull.* Apr.1:18(4):518-522.
- Snow, E.C., 1985. Insulin and growth Function as minor Growth Factors that Potentiate Lymphocyte Activation. *J. Immunol.* 135 Suppl.740-746.
- Soo, T.S., 1994. The therapeutic value of *Ganoderma lucidum*. Proceedings of Contributed Symposium 59 A,B. 5th International Mycological Congress. Vancouver. pp.105-113.

- ____, 1996. Effective Dosage of Ganoderma lucidum in the Treatment of Various Ailments. 177-186 In: D.J. Royse (ed.) 1996. Mushroom Biology and Mushroom Products. Proceedings of the Second International Congress.
- Sorimachi, K., et al. 1990. Anti-Viral Activity of water-soluble Lignin Derivatives in vitro. Agri. Biol. Chem. vol.54(5):pp.1337-1339.
- Spittler, A., 1997. Effects of 1 alpha,25-dihydroxyvitamin D3 and cytokines on the expressio of MHC antigens, complement receptors and other antigens on human blood monocytes and U 937 cells: role in cell differentiation, activation and phagocytosis. Immunology 90(2):286-293.
- Stackl, W., et al. 1988. Intracavernous Injection of Prostaglandin E1 in Impotent Men. J. Urol. 140:67-68.
- Stavinoha, W., 1993. Short term dietary supplementation with ganoderma lucidum slows development and growth of microadenomatous lesions in the colon. Presented at the 5th International Symposium on Ganoderma lucidum, Seoul, Korea on June 17, 1993.
- Staninoha, W., N. Satsangi, S. Weintraub, 1995. Study of the inflammatory efficacy of Ganoderma lucidum. In: B.K. Kim, Y.S. Kim (eds), Recent Advances in Ganoderma lucidum Research (pp. 3-7) Seoul Korea: The Pharmaceutical Society of Korea, W. Stavinoha, J. Slana, S. Weintraub, P. Mobley (1991) The Antiinflammatory Activity of Ganoderma lucidum. Third International Symposium on ganoderma lucidum, 9-21.
- Stavinhoa, W.B., S.Weintraub, T. Opham, A. Colorado, R. Opieda, J. Slama, 1990. Study of the anti-inflammatory activity of Ganoderma lucum. Proceedings from the Academic/Industry Conference (AIJC), August 18-20, Sapporo, Japan.
- Suga, T., T. Shiio, Y.Y. Maeda, G. Chihara, 1994. Antitumor activity of lentinan in murine syngeneic and autochthonous hosts and its suppressive effect on 3 methylcholanthrene induced carcinogenesis. cancer res. 44:5132-5137.
- Sugimachi, K., Y. Maehara, M. Ogawa, T. Kakegawa, M. Tomita, 1997. Dose intensity of uracil and tegafur in postoperative chemotherapy for patients with poorly differentiated gastric cancer. Cancer Chemotherapy and Pharmacology 40(3):233-238.
- Sun, L., H. Cai, W. Xu, Y. Hu, Z. Lin. CaMv35V promoter directs beta-glucuronidase expression in Ganoderma lucidum and Pleurotus citrinopileatus. Mol. Biotechnol. Mar. 20(3):239-244.
- Susuki, M., 1994. Curative effects of combination therapy with lentinan and interleukin-2 against established murine tumors, and the role of CD8-positive T cells. Cancer Immunol. Immunother. 38(1):1-8.
- Szedley, G., 2002. Is the widely used medical fungus Ganoderma lucidum (Fr.) Kast. sesustricto? (a short review). Acta Microbiol. Immunol. Hung. 49(2-3):235-243.
- Taguchi, T., et al 1985. End Point Results of Phase 3 Study of lentinan. Jpn. J. Cancer

Chemother. 12:366-378.

- ____, 1987. Clinical efficacy of lentinan on patients with stomach cancer: end point results of four year follow-up study. *cancer Detection and Prevention*. Suppl. 1:333-349.
- Takehara, M., et al. 1983. Antitumor effects of virus-like particles from *Lentinus edodes* (Shiitake) on Ehrlich Acsites Carcinoma in mice. *Arch Virology* 68:297-301.
- Takeshita, K., 1991. Diversity on complement activation by lentinan, an antitumor polysaccharide, in gastric cancer patients. *Nippon Geka Gakkai Zasshi* 92(1):5-11.
- ____, 1993. Effects of lentinan on lymphocytes subsets of peripheral blood, lymph nodes, and tumor tissues in patients with gastric cancer. *Surg. Today* 23(2):125-129.
- ____, 1996. Monocyte function associated with intermittent lentinan therapy after resection of gastric cancer. *Surg. Oncol* 5(1):23-28.
- Takeshita, F., 1995. Lentinan augments skin reaction induced by bradykinin: its correalion with vascular dilatation and hemorrhage responses and antitumor activities. *Int. J. Immunopharmacol.* 17(6):465-474.
- Talpur, N.A., B.W. Echard, A.Y. Fan, O. Jaffari, D. Bagchi, H.G. Preuss, 2002. Antihypertensive and metabolic effects of whole effects of whole Maitake mushroom powder and its fractions in two rat strains. *Mol Cell. Biochem.* Aug. 237(1-2):129-136.
- Talorette, T.P., H. Isoda, T. Maekawa, 2002. *Agaricus blazei* (class Basidiomycotina) aqueous extract enhances the expression of c-Jun protein in MCF7 cells. *J. Agric. Food Chem.* Aug. 28:50(18):5162-5160.
- Tamura, R., 1997. Effects of lentinan on abnormal ingestive behaviors induced by tumor necrosis factor. *Physiol. Behav.* 61(3):399-410.
- Tan, Y.H., 1994. High concentrations of mannitol in the shiitake mushroom *Lentinula edoes*. *Microbios.* 78(318):31-35.
- Tani, M. 1993. Augumentation of lymphokine-activated killer cell activity by lentinan. *Anticaner Res.* 13(5C):1773-1776.
- Tochinkura, S.T., et al. 1987. Suppression Human Immuno-Deficiency Virus Replication by 3-Azido-3-Deoxythymidine in Various Human Haematopoetic Cell Lines Invitro. Augmentation by the Effect of lentinan. *Jpn. J. Cancer Res. (Gann)* 78:583.
- Tochinkura, T.S., et al. 1988. Inhibition (in vitro) of replication and of cytopathic effect of human immunodeficiency virus by an extract of the culture medium of *Lentinus edodes* mycelia. *Med. Microbiol. Immunol.*, vol.177, pp.235-244.
- Tokuzen, R., M. Okabe, 1976. Combined effect of cycloctidine and lentinan on spontaneous mamillary tumors in mice, *Gann.* vol.76, pg.327.

- Torisu, M. Y. Hayashi, T. Ishimitsu, et al. 1990. Significant prolongation of disease-free period gained by oral polysaccharide K (PSK) administration after curative surgical operation of colorectal cancer. *Cancer Immunol. Immunother.* 31:261-268.
- Toth, B., P. Gannet, W. Visek, K. Patil, 1998. Carcinogenesis studies with the lyophilized mushroom *Agaricus bisporus* in mice. *In-Vivo March-April 12(2)*239-244.
- Tseng J., et al. 1992 Suppression of tumor necrosis factor-alpha, interleukin-1 beta, interleukin-6 and granulocyte-monocyte colony stimulating factor secretion from human monocytes by an extract of *Poria cocos*. *Chung Hua Min Kuo Wei Shen Wu Chi Mien I Hsueh Tsa Chih.* Feb. 1:25:(1):1-11.
- Tsunoo, A., N.N Takemoto, H. Tsuboi, M. Kamiho, A. Nemoto, H. Sasaki, M. Uchida, 1995. *Cordyceps sinensis*: its diverse effects on mammals in vitro and in vivo. *New Initiatives in Mycological Research: Proceedings of The Third International Symposium of the Mycological Society of Japan.*
- Tsunoda, A., N. Ishida, 1970. A Mushroom Extract as an Interferon Inducer. *Ann. N.Y. Acad. Sci.* 173:719-726.
- Ukai, S., K. Hirose, T. Kiho, C. Hara, T. Irikura, 1972. Antitumor activity on sacoma 180 of the polysaccharides from *Tremell fuciformis* Berk. *Chem. and Pharmaceutical Bull.* Oct. 20(10):2293-2294.
- Ukai, S., H. Hirose, T. Kiho, C. Hara, I. Kuruma, Y. Tanaka, 1983. Polysaccharides in fungi. XIV. Anti-inflammatory effect of the polysaccharides from the fruit bodies of several fungi. *J. Pharmacobidyn.* 6:12:983-990.
- Ukai, S., H. Kiriki, K. Nagai, T. Kiho, 1992. Synthesis and antitumor activities of conjugates of mitomycin C-polysaccharides from *Tremella fuciformis*. *J. of the Pharmaceu. Soc. of Jpn.* Sept. 112(9):663-668.
- Ukiya, M., T. Akiihisa, H. Tokuda, M. Hirano, M. Oshikubo, Y. Kimura, T. Tai, S. Kondo, H. Nishino, 2002. Inhibition of tumor-promoting effects by poricoic acids G and H and lanostane-type triterpenes and cytotoxic activity of poricoic acids A and D from *Poria cocos*. *J. Nat Prod.* apr. 65(4):462-465. other
- van der Hem, L.G., 1995. King Zhi-8: studies of a new immunomodulating agent. *Transplantation* 60(5):438-443.
- Vetter, J., 1995. Mineral and amino acid contents of edible, cultivated shiitake mushrooms (*Lentinus edodes*). *Zeitschrift fur Lebensmittel Untersuchung and Forschung.* July 201(1):17-19.
- Venter, A.J., 1999. Fungus could combat chemical weapons. *Jane's defense weekly.* Aug. 18.
- Wagner, H., A. Proksch, 1995. Immunostimulatory Drugs of Fungi and Higher Plants. In: *Economic and Medical Plant Research.* Academic Press, N.Y.
- Wan, F., D. Huang, 1992. Anti-inflammatory and analgesic actions of artificial and fermentative

Ganoderma sinensis (AFGS). Chung Kuo Chung Yao Tsa Chih 10:619-622, 640.

Wang, G. 1993. Antitumor active polysaccharides from the Chinese mushroom Songshan linzhi, the fruiting body of ganoderma tsugae. Bioscience, Biotech, and Biochem. 57:894-900.

Wang, G.L., 1996. The immunomodulatory effect of lentinan Yao Hsueh Pao 31(2):86-90.

Wang, L.Y., et al. 1993. Studies on the chemical constituents from solvent extracts of Poria cocos (Schw.) wolf. Chung Kuo Chung Yao Tsa Chih. Oct 1: 18(10:613-614.

Wang, S.M., et al. 1998. Effects of a water-soluble extract of Cordyceps sinensis on steroidogenesis and capsular morphology of lipid droplets in cultured rat adrenocortical cells. J. cell Biochem. Jun 15: 69(4):483-489.

Wang, S.Y., 1997. The anti-tumor effect of Ganoderma lucidum is mediated by cytokines released from activated macrophages and T lymphocytes. Int. J. Cancer 70(6):699-705.

Wang, Y.Y K.H. Khoo, S.T. Chen, C.C Lin, C.H. Wong, C.H Lin, 2002. Studies on the immunomodulating and antitumor activities of ganderma lucidum (Reishi) polysaccharides: functional and proteomic analyses of a fructose-containing glycoprotein fraction responsible for the activities. Biorg. Med. Chem. Apr. 10(4): 1057-1062.

Wasser, S.P., et al. 1999. Therapeutic effects of substances occurring in higher Basidiomycetes mushrooms: a modern perspective. Crit. Rev. Immunol. 19(1):65-96.

_____, 2002. Medical mushrooms as a source of antitumor and immunomodulating polysaccharides. Appl. Microbiol. Biotechnol. Nov. 60(3):258-274.

Watson, R.R., et al. 1986. Selenium and Vitamins A,C,E. Nutrients with Cancer Prevention Properties. J. Am Diet. Assoc. 86(4):505-510.

Wei, L., et al 1999. Treatment of complications due to peritoneal dialysis for chronic renal failure with traditional Chinese medicine. J. Tradit. Chin. Med. Mar. 19(1):3-9.

Weigent, D.A., J.E. Blalock, 1987. Interactions Between the Neuro Endocrine and Immune Systems: Common Hormones and Receptors. Immunol. Ref. 100:79-100.

Weil, A., 1987. Recipes: a mushroom a day. American Health Magazine 6:4, May.

_____, 1993. Boost immunity with medicinal mushrooms. Natural Health Magazine, May-June, pp. 12-17.

Weng, S.C., C.J. Chou, L.C. Lin, W.J. Tsai, Y.C Kuo, 2002. Immunomodulatory functions of extracts from Chinese medicinal fungus Coryceps cicadae. J. Ethnopharmacol. Nov. 83(1-2):79-85.

Willard, T., 1990. The Reishi Mushroom: Herb of Spiritual Potency and Medical Wonder. Sylvan Press, Vancouver, British Columbia.

Winkles, J. A., 1998. Serum and polypeptide growth factor-inducible gene expression in mouse

fibroblasts. *Prog. Nucleic Acid Res. Mol. Biol.* 58:48-78.

Won. S.J., S.S. Lee, Y.H. Ke, M.T. Lin, 1989. Enhancement of splenic Nk Cytotoxic activity by extracts of ganoderma lucidum mycelium in mice. *J. Biomed. Lab. Sci.* 2:201-213.

Wrenshall, L.E., et al. 1999. Modulation of macrophage and B cell function by glycoaminoglycans. *J. Leukoc. Biol. Sept.* 66(3):391-400.

Xia, D., Z.B. Lin, 1989. Effect of Tremella polysaccharides on immune function in mice. *Acta Pharmacologica Sinica* 10:453.

Xia, E., Q. Chen 1980. Isolation, analysis and biological activities of the polysaccharide of Tremella fuciformis. *ACTA Mycol. Sin.* 7:166-174.

Xiao, L. 1987. Progress in the studies of Chinese drugs with immunological actions. *Zhongchengyao Yanjiu.* 3:25-327.

Xia, P.G., 1993. Immunological aspects of Chinese medicinal plants as antiaging drugs. *J. Ethnopharmacol.* 38(2.3):167-170.

Xiong, H.Z., 1985. Clinical observations of 45 cases of chronic hepatitis treated with Tremella fuciformis polysaccharide. *hin. Anntibot.* 10:363-365.

Xu, R.H., 1992. Effects of cordyceps sinensis on natural killer activity and colony formation of B16 melanoma. *Chin. Med. J. (English)* 105(2):97-101.

Xu, W.H., 1988. Water-soluble constituents of Cordyceps sinensis (Berk) Sacc.-the nucleosides. *Chung Yao Tung Pao* 13(4):34-36.

Xo, W.Z. et al. 1988. Effects of Cordyceps on monoamine oxidase and immunity. *Shanghi. J. Trad. Chinese Med.* 1: 48-49.

Yamada, Y., H. Naba, H. Kuroda, 1990 Antitumor effects of orally administered extracts from fruitbody of Grifola frondosa (Maitake). *Chemotherapy* 38:aug.

Yamaguchi, N., 1990. Augmentation of various immune reactivities of tumor-bearing hosts with an extract of Cordyceps sinensis. *Biotherapy* 2(3):199-200.

Yamamoto, Y., h. Shirono, K.Kono, Y. Ohashi, 1997. Immunopotentiating activity of water-soluble lignin rich fraction prepared from LEM-the extract of the solid culture medium of *Lentinus edodes* mycelia. *Bioscience, Biotech. and Biochem.* Nov. 61(11):1909-1912.

Yang, B.K., D.H. Kim, S.C Jeong, S. Das, Y.S. Choi, J.S. Shin, S.C. Song, C.H. Song, 2002. Hypoglycemic effect of a *Lentinus edodes* exo-polymer produced from a submerged mycelial culture. *Biosci. Biotech. Biochem.* May 66(5):937-942.

Yang, L.Y., W.J. Huang, H.G. Hsieh, C.Y. Lin, 2003. H1-A extracted from *ordyceps sinensis* suppresses the proliferation of human mesangial cells and promotes apoptosis, probably by inhibiting the tyrosine phosphorylation of Bcl-2 and Bcl-XL. *J. Lab Clin Med.* Jan:141(1):74-83.

- Yang, M. M., Z. Chen, J.S. Kwok, 1992. The antitumor effect of a small polypeptide from *Coriolus Vericolor* (SPCV). *Am. J. Chin. Med.* 20(3-4):221-232.
- Yang, Q. ., M.M. Wang, 1994. The effect of *Ganoderma lucidum* extract against fatigue and endurance in the absence of oxygen. *Proceedings of Contributed Symposium 59 , B* at the 5th International Mycological Congress, Vancouver, British Columbia, Aug. 14-21.
- Yang, Q.Y., J.N. Fang, X.T. Yang, 1994. The isolation and identification of two polysaccharides of *Ganoderma lucidum* (GL-A, GL-B). *Proceedings of Contributed Symposium 59 A, B* at the 5th International Mycological Congress, Vancouver, British Columbia, Aug. 14-21.
- Yang, W., et al. 1985. Treatment of sexual hypofunction with *Cordyceps sinensis*. *Jiangxi Zhongyiyao* 5:46-47. In: *Abstracts of Chin. Med.* 1:401.
- Yao, P.Y., Z.M. Gao, S.T Fang, L. Ke, 1993. Evaluation of the subsidiary effects of taking PSP orally on the chemotherapy of stomach cancer. In: 1993 PSP Intl Symposium, Q.Y. Yang, C.Y Kwok (eds). Fundan U Press, Shanghai, p. 269-270.
- Yokota, Masanori, 1992. Koseikai Clinic, Tokyo, Japan. Observatory Trial at AntiObesity Activity of Maitake Mushroom (*Grifola frondosa*). *Anshin Julu*, pp. 202.
- Yoon, S.Y., et al. 1994. Antimicrobial activity of *Ganoderma lucidum* extract alone and in combination with some antibiotics. *Arch. Pharm. Res.* Dec. 17(6):438-420.
- Yoshida, J. 1989. Antitumor activity of an extract of *Cordyceps sinensis* (Berk.) Sacc. against murine tumor cell line. *Jpn. J. Exper. Med.* 59:157-160.
- Yoshino, S., 1990 Effects of intrapleural and/or intraperitoneal lentinan therapy in carcinomatous pleuritis and peritonitis. *Gan To Kagaku Ryoho.* 17(8):1588-1590.
- Yu, S.J. 1996. Fu-Ling (*Porcia cocos*), a Chinese herbal drug, modulates cytokine secretion by human peripheral blood monocytes. *Int J. Immunopharmacol.* 18(1):37-40
- Yuan, Z., P. He, J. Cui, H. Takeuchi, 1998. Hypoglycemic effect of water-soluble polysaccharide from *Auricularia auricula-judae* Quel. on genetic diabetic KK-ay mice. *Bioscience, Biotech., Biochem.* Oct. 62(10): 1898-1903
- Yun, T.K., S.H. Kim, Y.S. Lee, 1995. Trial of a new medium-term model using benzo(a)pyrene induced lung tumor in newborn mice. *Anticancer Res.* 15:839-846.
- Zee-Chang, R.K., 1992. Shi-quan-da-bu-tang (ten significant tonic decoction), SQT. A potent Chinese biological response modifier in cancer immunotherapy, potentiation and detoxification of anticancer drugs. *Methods Find Exp. Clin. Pharmacol.* Nov.1:14(9):725-736.
- Zeng, Q., J. Zhao, Z. Deng, 1990. The antitumor activity of *Flammulina Velutipes* Polysaccharide (FVP). *Edible Fungi of China*, vol. (10):2. Szechwan Institute of Materia

Medica.

- Zhang, G.L., Y.H. Wang, W. Ni, H.L. Teng, Z.B. Lin, 2002 Hepatoprotective role of *Ganoderma lucidum* polysaccharide against BCG-induced immune liver injury in mice. *World Gastroenterol. Aug.8(4):728-733.*
- Zhang, H., 1990. Immunopharmacological effect of *Cordyceps sinensis*. *Chung Hsi I Chieh Ho Tsa Chih 10(9):570-571.*
- Zhang, J., 1994. Antitumor active protein-containing glycans from Chinese mushroom *lingzhi*, *Ganoderma tsugae* mycelium. *Biosci. Biotechnol. Biochem. 58(7):1202-1205.*
- _____, et al. 1994. Antitumor polysaccharides from a Chinese mushroom, "yuhuangmo," the fruiting body of *Pleurotus citrinopileatus*. *Biosci. Biotechnol. Biochem. 58(7):1195-1201.*
- Zhang, L., M. Yu, 1993. Influence of *ling zhi* on natural killer cells-Immunological study(5). From: *The research on Ganoderma lucidum (part one)*. Shanghai: Shanghai Medical University Press. pp. 246-253.
- Zhang, L.X., 1993. Effects of Japanese *Ganoderma lucidum* on production of interleukin-2 from murine splenocytes. *Chug Kuo Chung Hsi I Chieh Ho Tsa Chih 13(10):613-615.*
- Zhang, P., L. Zhang, S. Cheng, 2002. Solution properties of an alpha-(1->3)-D-glucan from *Lentinus edodes* and sulfated derivatives. *carbohydr. Res. Feb. 5:337(2):155-160.*
- Zhang, P., P.C. Cheng, 2002. Evaluation of sulfated *Lentinus edodes* alpha-(1->3)-D-glucan as a potential antitumor agent. *Biosci. Biotechnol. Biochem. May 66(5):1052-1060.*
- Zhang, C.S., W.T Win, J.Y. Wang, Y. Zhang, H. Yu, R. Cooper, C. Smidt, J.S Zhu, 2002. Cyclooxygenase inhibitory and antioxidant compounds from the mycelia of the edible mushroom *Grifola frondosa*. *J. Agric. Food Chem. Dec. 18:50(26):7581-7585.*
- Zhao, C.S., W.T Win, J.Y. Wang, Y. Zhang, H. Yu, R. Cooper, C. Smith, J.S Zhu, 2002. CordyMax Cs-4 improves glucose metabolism and increases insulin sensitivity in normal rats. *J. Altern. Complement. Med. Jun. 8(3):309-314.*
- Zhao, T.F., C.F Xu, Z.W Li, F. Xie, Y.T. Zhao, S.Q. Wang, C.H. Luo, R.S. Lu, G.L. Ni, Z.Q. Ku, Y.F. Ni, Q. Qian, X.Q. Chen, 1982. Effect of *Tremella fuciformis* Berk. on acute radiation sickness in dogs. *Chin. Medical J. Feb. 4(1):20-23.*
- Zhao, Y. 1991. Inhibitory effects of alcohol extract of *Cordyceps sinensis* on abdominal aortic thrombus formation in rabbits. *Chung Hua I Hsueh Tsa Chih (Taipei) 71(11):612-615.*
- Zhao, X., 1993. *Cordyceps sinensis* in protection of the kidney from cyclosporine A nephrotoxicity. *Chung Hua I Hsueh Tsa Chih 73(7):410-410.*
- Zhen, F., 1992 Mechanisms and therapeutic effect of *Cordyceps sinensis* (CS) on aminoglycoside induced acute renal failure (ARF) in rats. *Chung Kuo Chung Hsi I Chieh Ho Tsa Chih*

12(5):288-290.

Zhou, L., 1990. Short-term curative effect of cultured *Cordyceps sinensis* (Berk.) Sacc. Mycelia in chronic hepatitis B. *Chung Kuo Chung Yao Tsa Chih* 15(1):53-55.

Zhu, J.S. et al. 1999. The scientific rediscovery of a precious ancient Chinese regimen: *Cordyceps sinensis*:part II. *J. Altern. Complement Med.* 1998 Winter 4(4):429-457.

Zhu, M., et al, 1999. Triterpene antioxidants from *Ganoderma lucidum*. *Phytother. Res. Sep.* 13(6): 529-531.

Zusmann, I., R. Reifen, O. Livini, P. Smirnoff, P. Gurevich, B. Sandler, A. Nyska, R. Gal, Y. Tendler, Z. Madar, 1997. Role of apoptosis, proliferating cell nuclear antigen and p53 protein in chemically induced colon cancer in rats fed corn cob fiber treated with the fungus *Pleurotus ostreatus*. *Anticancer Research* May-June 17(3C): 2105-2113.